

THE
BEAUTY
OF
REFLECTION





ABOUT LIVESTONE CERAMIC

With over 30 years of expertise in ceramic manufacturing and exporting, **Livestone Ceramic** stands as a leader in the industry. Based in Morbi, Gujarat, India, a renowned hub for ceramics, we specialize in delivering top-notch wall tiles, floor tiles, porcelain tiles, vitrified tiles, and sanitaryware to clients worldwide.

Our commitment to innovation and quality ensures that we exceed expectations in every project we undertake.

INNOVATION IS THE ULTIMATE CORNERSTONE OF LIVESTONE CERAMIC





OUR STONEWARE IS SAFE & **RESISTANCE**

Porcelain stoneware has excellent strength and surface hardness characteristics that make the surfaces resistant to wear, scratches and almost all physical and mechanical stresses.

















DESIGN RANGE

BOOKMATCH COLLECTION







Possibility 1





Possibility 2







DESIGN NAME: B.M. DIASO GREY

DIMENSION : 600x1200mm / 60x120cm / 2'x4'




























Possibility 2







DESIGN NAME : **B.M. PEARLY WHITE CALACATTA**DIMENSION : **600x1200mm / 60x120cm / 2'x4'**




















Possibility 1





Possibility 2







DESIGN NAME: B.M. MOCHA BROWN

: 600x1200mm / 60x120cm / 2'x4' DIMENSION

























Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. ONYX BEIGE

: 600x1200mm / 60x120cm / 2'x4' DIMENSION






























Possibility 2







DESIGN NAME: B.M. DAISY DIANA

: 600x1200mm / 60x120cm / 2'x4' DIMENSION
























Possibility 2





BOOMMATCH

DESIGN NAME: B.M. ATLAS WHITE

: 600x1200mm / 60x120cm / 2'x4' DIMENSION



















Possibility 1





Possibility 2







DESIGN NAME: B.M OXY TERRA

: 600x1200mm / 60x120cm / 2'x4' DIMENSION



























Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. STRIP ONYX

: 600x1200mm / 60x120cm / 2'x4' DIMENSION



























Possibility 2







DESIGN NAME: B.M. CREAMY OPULANCE

DIMENSION : 600x1200mm / 60x120cm / 2'x4'





















Possibility 1





Possibility 2







DESIGN NAME: B.M. SYMPHONY BROWN

DIMENSION : 600x1200mm / 60x120cm / 2'x4'



























Possibility 2







DESIGN NAME: B.M. LACY TRAVERTINE

: 600x1200mm / 60x120cm / 2'x4' DIMENSION





















Possibility 1





Possibility 2







DESIGN NAME: B.M. DESERT GLOD

DIMENSION : 600x1200mm / 60x120cm / 2'x4'




















Possibility 1





Possibility 2







DESIGN NAME: B.M. MIRASE BROWN

: 600x1200mm / 60x120cm / 2'x4' DIMENSION



























Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. SAPPHIRE ONYX

: 600x1200mm / 60x120cm / 2'x4' DIMENSION





















Possibility 1





Possibility 2







DESIGN NAME: B.M. SERENITY CREMA

: 600x1200mm / 60x120cm / 2'x4' DIMENSION























Possibility 1





Possibility 2







DESIGN NAME: B.M. CROWN ONYX

DIMENSION : 600x1200mm / 60x120cm / 2'x4'


























Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. GILDED ONYX

DIMENSION : 600x1200mm / 60x120cm / 2'x4'


























Possibility 2







DESIGN NAME: B.M. CALACATTA FLORA

: 600x1200mm / 60x120cm / 2'x4' DIMENSION
























Possibility 2





HODAMATCH

DESIGN NAME: B.M. MINK MOSAIC

DIMENSION : 600x1200mm / 60x120cm / 2'x4'
























Possibility 1





Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. ERATHY MIRROR

: 600x1200mm / 60x120cm / 2'x4' DIMENSION
























Possibility 2





HOTAMKOOB

DESIGN NAME: B.M. WISPER GREY

DIMENSION : 600x1200mm / 60x120cm / 2'x4'























REPRESENTATIVE OF UNMISTAKABLE INDIAN AUTHENTICITY AND STYLE



Made in India isn't just style, design and excellence, it's a way of being. We identify with the values expressed by Indian ceramic tradition ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in India and which certify the quality of authentic Italian style.

WECAREFOR NATURE

ENERGY OPTIMIZATION









WASTE MANAGEMENT









ENVIRONMENTAL HEALTH





Continuously operating purification and filtration systems

Continuously operating purification and filtration systems

Continuously operating of the continuously operating purification and odours


RTO system to reduce harmful emissions and odours

Automated Vertical Warehouse: 60% reduction in CO₂

O(CO₂)

Automated Vertical warehouse: 60% reduction in CO₂





CLEANING & MAINTAINANCE

1. CLEANING AFTER INSTALLATION

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
cement base grout grout lime	buffered acid based	keranet
	basea	cement remover
		deterdek pro
		hmk r63
		solvacid

2. EXTRAORDINARY CLEANING

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
grease dust footmarks base cleaning	multipurpose alkaline-based (1)	ps87 pro
		intensivreiniger
		hmk r55
coffee coke	multipurpose alkaline-based (1)	coloured stain remover
fruit juice		super deterjet
wine	oxidizing agent	oxidant candeggina
calcareous deposits	acid-based (1)	viakal
rust	acid-based (1)	acido muriatico diluito
inks felt-tipped pen	solvent-based	diluente nitro, acqua ragi
		coloured stain remover
pneumatic stains from rubber metals or pencils	abrasive paste (1)	vim clorex (2)
		polishing cream (2)
		detergum (3)
tile joint stains	specific	fuganet
		fugenreininger
clean on a daily basis	neutral	floor cleaner
	universal degreaser	cleaner pro
		pflegereiniger
		bonamain + / bmain +
		smac expresse sgrassator

SPECIAL MAINTENANCE

REMOVING GLOSSY GLAZE

Standard detergents that are available in the market sometimes contain waxes or polish additives that, wash after wash, deposit **glossy glaze** on the floor and causes annoying marks. These types of glazes can also settle on some joint grouts.

When simply types of foods such as Coke, wine, water, etc.., fall on the floor, they remove this type of glossy glaze and restore the **original appearance** of the tiles (a more opaque look).

In the middle of the shinier floor, the areas without wax appear as opaque marks, but they are actually the only clean parts of the floor. In these cases, the following must be done:


- 1. First of all, remove the glossy glaze from the entire floor (see table below);
- 2. Then, for daily cleaning, use neutral detergents that do not contain wax or polishing glaze

NEVER USE: Waxing and impregnating agents - Acid or alkaline detergents - Abrasive pastes - Abrasive brushes or sponges.

RESIDUES TO BE REMOVED	TYPE OF DETERGENT	DETERGENT NAMES
glossy glaze	weak acidulous	tile cleaner pure (*)


(*) Do not follow the instructions on the package, just apply the pure detergent, leave it on for 5-10 minutes, rub it with soft pads (white, yellow) and rinse it thoroughly with water. Do not use wax on **SAANS VITRIFIED.**







Simple foodstuffs (Coca-Cola, wine, water etc) can remove the bright patina. The original surface is more matt.



Remove the patina with detergent (Faber tile cleaner, used neat), and use detergent without waxes for everyday cleaning.

CLEANING "AFTER THE INSTALLATION"

- 1. Cleaning "after the installation" helps remove residues of grout-joints, cement and lime. This is obligatory at the end of the installation, for glazed tiles and unglazed tiles.
- 2. If the cleaning "after the installation" is not carried out properly or if is not carried out at all, is often a cause of marks that prevent the floor from being clean even if a good daily cleaning is performed.
- 3. Whenever is possible, especially for medium to large surfaces, it is advisable to use a single-brush machine with soft disks (white or beige).
- 4. cleaning cement-based grouts mixed with water.
- It is carried out with specific detergents based with buffered and diluted acids. The table below shows some of these detergents, which are easily available in the market.

INSTRUCTIONS ON HOW TO CLEAN "AFTER THE INSTALLATION"

- 1. Clean 4-5 days after the grouting (the grout must be hardened); do not wait over 10 days. In addition to this period, the cleaning can become very laborious.
- 2. Moisten the floor with water before cleaning. This way the groutings are soaked with water and the contact with detergents is reduced.
- 3. Let the detergents operate for limited periods, hence rinse out with water as soon as possible.
- 4. It must not be carried out if the tiled surfaces are very hot (i.e. exposed to the sun during very warm days); this must be avoided as the action of aggressive chemicals become very harsh. On the summer, proceed with the operation during the coolest period of the day.
- 5. Make sure to always perform a precautionary test before using the product (on a tile that is not laid), especially for Lapped or Polished products.
- 6. cleaning for epoxy, bi-component and reagent grouts In these cases the removal must be carried out immediately and carefully following the recommendations of the manufacturers, as these grout harden very fastly, even in a few minutes. Please carefully follow the cleaning mode specified by the manufacturer of the grout used; verify its effectiveness (backlight also) with a preliminary cleaning test before grouting the entire floor/wall.
- 7. "Antislip" tiles that are made with rough and/or textured surfaces must be cleaned very laboriously. Therefore, it is advisable to clean "after the installation", quickly and thoroughly, using a single-brush machine with disks white and beige.



LAYING INSTRUCTION



DRY LAYING ON GRASS

In the case of a grass surface, the paving should be laid dry without the use of adhesives. This installation technique is simple, ecological, and can be carried out without specialised personnel. This technique is ideal for rapid creation of elegant paths in public parks and private gardens.

LAYING ON GARVEL

The different installation methods make it possible to create complex spaces while ensuring visual uniformity even when working on diverse substrates. In the presence of a gravel substrate, the floor surface can be installed simply by placement of the tiles without the use of adhesives. This method streamlines the levelling procedure and also guarantees excellent stability. The solution allows the creation of decorative effects using gravel and pebbles of different particle sizes and colours.





LAYING ON SCREED WITH ADHESIVE

The technical characteristics of the glazed vitrified tiles are perfectly compatible also with sandy substrates. This makes the system especially suitable for public areas in the proximity of beaches and in beach bars. Resistant to the action of solar UV radiation and prolonged contact with salt. Impervious to wear caused by sand abrasion. In addition, the R11 A+B+C surface is an advantage for the safety of holiday makers. Installed completely dry, the tiles are the ideal practical and robust solution for seasonal businesses requiring periodic setup and removal operations, such as kiosks or temporary structures in general installed on beaches.

LAYING ON RAISED FLOOR

The Saans' 9mm glazed vitrified tiles are composed of pedestals to raise the floor surface with respect to the base level, resulting in the creation of an underfloor void that can be used to route electrical cables and pipework easily. This allows inspection of technical systems at any time and simple replacement of components if necessary. The system is assembled without adhesives. Dry assembly of the structure is extremely effective in applications where correct drainage is important.





LIVESTONE CERAMIC PVT LTD

Survey No.394 P3/P1, B/H-Livecity Ceramic, Nr. Rangpar, Jetpar Road, Dist. Morbi 363642 (Gujarat) INDIA

E-mail

info@livestoneceramic.com export@livestoneceramic.com

Website

Customer Care +91 99786 03232

Follow Us





