


715 37037 ABOUT AAANONY

















MATTE MAGIC UNLEASHED: WHERE STYLE MEETS SUBSTANCE IN EVERY TILE.


Matt Tiles bring forth a sense of effortlessness in elegance. Their matte finish exudes a subdued charm, creating a serene backdrop that seamlessly blends with various design aesthetics. From modern minimalism to classic opulence, Matt Tiles offer a versatile foundation for any interior vision.

Step onto a surface adorned with Matt Tiles, and you'll find yourself immersed in a world of subtle luxury. The velvety touch and muted sheen create a feeling of warmth and comfort, making everystep a delight and every space a haven of refined indulgence.



As you step into the world of tiles, you embark on a journey of endless possibilities. Each tile, with its unique texture and character, contributes to the living tapestry of your home. With a silent eloquence, tiles narrate stories of durability, style, and timeless elegance, transforming your spaces into galleries of personal expression. Welcome to the realm where every tile is a brushstroke, and your home is the canvas.

TECHNICAL CHARACTERISTIC





THE HARMONY BETWEEN SHAPES AND MATERIALS IS A REQUIREMENT OF HIGH-END INTERIOR DESIGN.

In the symphony of design, the interplay between harmony, shapes, and materials becomes the conductor of an exquisite composition. Each element, carefully chosen and orchestrated, contributes to the creation of spaces that transcend trends and resonate with timeless allure.

Design is the seamless dance of elements that come together to create a unified visual experience. It is the delicate balance where shapes and materials intertwine, guiding the eye through a narrative that is both cohesive and captivating.

the poetic expressions in the language of design. Whether it's the soft curves of circles, the strong lines of rectangles, or the dynamic energy of triangles, each shape carries its own narrative. Harmonizing these shapes is an art that transforms spaces into eloquent tales of form and function.



EXPLORE TIMELESS DESIGN AND QUALITY CRAFTSMANSHIP WITH LIVESTONE



ALTA NERO

BASALTO GRIS


BASALTO NERO

BUCKINGHAM

BROWN

BUCKINGHAM


GREY





























CUTSTONE









DEPO BLUE















Preview Of **DEPO BLUE**

www.livestoneceramic.com








600X1200MM 24"X48" 2'X4'


















Preview Of **DIJON GREY**







KALEIDO CHOCO



2'X4'















Preview Of KALEIDO CHOCO











600X1200MM 24"X48" 2'X4'

















Preview Of MOUNTAINS EMBOSSED



























Preview Of

MUSEUM GRIS


























Preview Of **NOIR**











600X1200MM 24"X48" 2'X4'
















Preview Of QUENOS GRIS









SIRPI SILVER
















Preview Of SIRPI SILVER

























ZERMATT












600X1200MM 24"X48" 2'X4'















Preview Of







ALTA CHOCO

SURFACE MATT

RANDOM 04



600X1200MM 24"X48" 2'X4'

AVAILABLE COLORS



ALTA NERO



Preview Of **ALTA CHOCO**









600X1200MM

24"X48" 2'X4'

AVAILABLE COLORS



BASALTO NERO

BASALTO GRIS



Preview Of BASALTO GRIS







BUCKINGHAM BROWN

SURFACE MATT

RANDOM 04





BUCKINGHAM GREY

600X1200MM

24"X48" 2'X4'



Preview Of **BUCKINGHAM BROWN**







CERSANIT BROWN

SURFACE **MATT** RANDOM **04**









CERSANIT GREY









600X1200MM

24"X48" 2'X4'



Preview Of

CERSANIT BROWN







CORSECA BLUE

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'



CORSECA BEIGE

CORSECA CREMA



Preview Of

CORSECA BLUE







FORSTER BEIGE

SURFACE MATT

RANDOM
04

AVAILABLE COLORS



FORSTER GREY

600X1200MM

24"X48" 2'X4'



Preview Of

FORSTER BEIGE www.livestoneceramic.com







LIEM NERO

SURFACE **MATT** RANDOM **04**



600X1200MM 24"X48" 2'X4'



LIEM CREMA

LIEM WHITE









Preview Of **LIEM NERO**







LIMA GREY

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'



LIMA BEIGE




Preview Of

LIMA GREY







LOIRA GREY

SURFACE MATT

RANDOM
04





LOIRA BEIGE

LOIRA BIANCO

600X1200MM


24"X48" 2'X4'



LOIRA GREY








LOIRA BROWN

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'





LOIRA GRIS






Preview Of **LOIRA BROWN**







LOIRA NERO

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'





LOIRA TAUPE



Preview Of **LOIRA NERO**








LUCIDO AQUA

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'



LUCIDO BROWN

LUCIDO CREMA



Preview Of LUCIDO AQUA







PRIVILEGE BROWN

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'



PRIVILEGE BEIGE



Preview Of PRIVILEGE BROWN







RUBIO GREY

SURFACE MATT

RANDOM 04



600X1200MM 24"X48" 2'X4'



RUBIO GRIS




Preview Of **RUBIO GREY**

www.livestoneceramic.com








TREOTA NERO

SURFACE MATT

RANDOM
04



600X1200MM 24"X48" 2'X4'



TREOTA SILVER



Preview Of **TREOTA NERO**





REPRESENTATIVE OF UNMISTAKABLE INDIAN AUTHENTICITY AND STYLE

MADE IN INDIA

Made in India isn't just style, design and excellence, it's a way of being. We identify with the values expressed by Indian ceramic tradition ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in India and which certify the quality of authentic Italian style.

WECAREFOR NATURE

ENERGY OPTIMIZATION









WASTE MANAGEMENT











ENVIRONMENTAL HEALTH











CLEANING & MAINTAINANCE

1. CLEANING AFTER INSTALLATION

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
cement base grout grout lime	buffered acid based	keranet
	basea	cement remover
		deterdek pro
		hmk r63
		solvacid

2. EXTRAORDINARY CLEANING

FOR REMOVING THE FOLLOWING RESIDUICE	TYPE OF DETERGENT	DETERGENT NAMES
grease dust footmarks base cleaning	multipurpose alkaline-based (1)	ps87 pro
		intensivreiniger
		hmk r55
coffee coke	multipurpose alkaline-based (1)	coloured stain remover
fruit juice		super deterjet
wine	oxidizing agent	oxidant candeggina
calcareous deposits	acid-based (1)	viakal
rust	acid-based (1)	acido muriatico diluito
inks felt-tipped pen	solvent-based	diluente nitro, acqua ragi
		coloured stain remover
pneumatic stains from rubber metals or pencils	abrasive paste (1)	vim clorex (2)
		polishing cream (2)
		detergum (3)
tile joint stains	specific	fuganet
		fugenreininger
clean on a daily basis	neutral	floor cleaner
	universal degreaser	cleaner pro
		pflegereiniger
		bonamain + / bmain +
		smac expresse sgrassator

SPECIAL MAINTENANCE

REMOVING GLOSSY GLAZE

Standard detergents that are available in the market sometimes contain waxes or polish additives that, wash after wash, deposit **glossy glaze** on the floor and causes annoying marks. These types of glazes can also settle on some joint grouts.

When simply types of foods such as Coke, wine, water, etc.., fall on the floor, they remove this type of glossy glaze and restore the **original appearance** of the tiles (a more opaque look).

In the middle of the shinier floor, the areas without wax appear as opaque marks, but they are actually the only clean parts of the floor. In these cases, the following must be done:


- 1. First of all, remove the glossy glaze from the entire floor (see table below);
- 2. Then, for daily cleaning, use neutral detergents that do not contain wax or polishing glaze

NEYER USE: Waxing and impregnating agents - Acid or alkaline detergents - Abrasive pastes - Abrasive brushes or sponges.

RESIDUES TO BE REMOVED	TYPE OF DETERGENT	DETERGENT NAMES
glossy glaze	weak acidulous	tile cleaner pure (*)


(*) Do not follow the instructions on the package, just apply the pure detergent, leave it on for 5-10 minutes, rub it with soft pads (white, yellow) and rinse it thoroughly with water. Do not use wax on **SAANS VITRIFIED.**







Simple foodstuffs (Coca-Cola, wine, water etc) can remove the bright patina. The original surface is more matt.



Remove the patina with detergent (Faber tile cleaner, used neat), and use detergent without waxes for everyday cleaning.

CLEANING "AFTER THE INSTALLATION"

- 1. Cleaning "after the installation" helps remove residues of grout-joints, cement and lime. This is obligatory at the end of the installation, for glazed tiles and unglazed tiles.
- 2. If the cleaning "after the installation" is not carried out properly or if is not carried out at all, is often a cause of marks that prevent the floor from being clean even if a good daily cleaning is performed.
- 3. Whenever is possible, especially for medium to large surfaces, it is advisable to use a single-brush machine with soft disks (white or beige).
- 4. cleaning cement-based grouts mixed with water.
- It is carried out with specific detergents based with buffered and diluted acids. The table below shows some of these detergents, which are easily available in the market.

INSTRUCTIONS ON HOW TO CLEAN "AFTER THE INSTALLATION"

- 1. Clean 4-5 days after the grouting (the grout must be hardened); do not wait over 10 days. In addition to this period, the cleaning can become very laborious.
- 2. Moisten the floor with water before cleaning. This way the groutings are soaked with water and the contact with detergents is reduced.
- 3. Let the detergents operate for limited periods, hence rinse out with water as soon as possible.
- 4. It must not be carried out if the tiled surfaces are very hot (i.e. exposed to the sun during very warm days); this must be avoided as the action of aggressive chemicals become very harsh. On the summer, proceed with the operation during the coolest period of the day.
- 5. Make sure to always perform a precautionary test before using the product (on a tile that is not laid), especially for Lapped or Polished products.
- 6. cleaning for epoxy, bi-component and reagent grouts In these cases the removal must be carried out immediately and carefully following the recommendations of the manufacturers, as these grout harden very fastly, even in a few minutes. Please carefully follow the cleaning mode specified by the manufacturer of the grout used; verify its effectiveness (backlight also) with a preliminary cleaning test before grouting the entire floor/wall.
- 7. "Antislip" tiles that are made with rough and/or textured surfaces must be cleaned very laboriously. Therefore, it is advisable to clean "after the installation", quickly and thoroughly, using a single-brush machine with disks white and beige.



LAYING INSTRUCTION



DRY LAYING ON GRASS

In the case of a grass surface, the paving should be laid dry without the use of adhesives. This installation technique is simple, ecological, and can be carried out without specialised personnel. This technique is ideal for rapid creation of elegant paths in public parks and private gardens.

LAYING ON GARVEL

The different installation methods make it possible to create complex spaces while ensuring visual uniformity even when working on diverse substrates. In the presence of a gravel substrate, the floor surface can be installed simply by placement of the tiles without the use of adhesives. This method streamlines the levelling procedure and also guarantees excellent stability. The solution allows the creation of decorative effects using gravel and pebbles of different particle sizes and colours.





LAYING ON SCREED WITH ADHESIVE

The technical characteristics of the glazed vitrified tiles are perfectly compatible also with sandy substrates. This makes the system especially suitable for public areas in the proximity of beaches and in beach bars. Resistant to the action of solar UV radiation and prolonged contact with salt. Impervious to wear caused by sand abrasion. In addition, the R11 A+B+C surface is an advantage for the safety of holiday makers. Installed completely dry, the tiles are the ideal practical and robust solution for seasonal businesses requiring periodic setup and removal operations, such as kiosks or temporary structures in general installed on beaches.

LAYING ON RAISED FLOOR

The Saans' 9mm glazed vitrified tiles are composed of pedestals to raise the floor surface with respect to the base level, resulting in the creation of an underfloor void that can be used to route electrical cables and pipework easily. This allows inspection of technical systems at any time and simple replacement of components if necessary. The system is assembled without adhesives. Dry assembly of the structure is extremely effective in applications where correct drainage is important.





LIVESTONE CERAMIC PVT LTD

Survey No.394 P3/P1, B/H-Livecity Ceramic, Nr. Rangpar, Jetpar Road, Dist. Morbi 363642 (Gujarat) INDIA

E-mail

info@livestoneceramic.com export@livestoneceramic.com

Website

www.livestoneceramic.com

Customer Care +91 99786 03232

•••

•••

Follow Us





